

# Economic SMT Nozzle Cleaner Reduce Unnecessary Labor 655 L X 560 W X 475 H

## **Basic Information**

- Place of Origin:
- Brand Name: ETON
- Certification:
- Model Number:
- Minimum Order Quantity: 1 set
- Packaging Details: Packing in film package and foam cotton, and covering vacuum bag within sturdy wooden boxes.
   Delivery Time: 30 days

50 sets per month

China

CE,CCC,SIRA

nozzle cleaner

- Payment Terms: T/T
- Supply Ability:



## Product Specification

Highlight:	deionized water SMT nozzle cleaner, 0.4MPa SMT nozzle cleaner
Outline size:	655(L) X 560(W) X 475(H)
<ul> <li>Power Supply:</li> </ul>	AC220 240V
• Plug:	3-Pin
<ul> <li>Capacity of water storage tan№00cc</li> </ul>	
<ul> <li>Cleaning liquid:</li> </ul>	Industrial Deionized Water
Nozzle injection pressure:	≤0.4MPa
Condition:	New
• Warranty:	1 Year




### Reduce unnecessary labor 655(L) x 560(W) x 475(H) economic SMT nozzle cleaner

#### Machine main features Economic benefits:

Reduce the purchase cost of suction nozzle; after using sme-24 cleaning machine, it can solve the problem of too dirty suction nozzle and scrap, so as to extend the service life.

Reduce unnecessary labor; because the machine adopts automatic cleaning, no special person is responsible for it, and the whole process is automatically completed by the machine.

It can effectively reduce the defective rate of products and improve the productivity of SMT. In the production process, a large part of it is caused by the uneven dirt on the surface of the suction nozzle and the dirt in the inner cavity, resulting in the throwing or mounting displacement, resulting in poor subsequent welding. After using the cleaning machine, the suction nozzle can always be protected in a new state, greatly improving the production efficiency.





#### **Technical parameter:**

pressure	pressure	compressed air
	Intake pressure setting	0.5 0.55MPa
	Injection pressure setting	0.35 0.38MPa
	Nozzle injection pressure	≤0.4MPa
Tube	Intake manifold	12tube
	Drain tank water pipe	8tube
Cleaning liquid	Cleaning liquid	Industrial deionized water
	Liquid consumption	≤300cc/h(5cc/min)
	Capacity of water storage tank	1200cc
Power Supply	Power Supply	AC220 240V
	Plug	3-Pin
	Consumption of electricity	≤0.1Kw
Working environment temperature Liquid temperature Working environment humid Environmental humidity of equipment dust	, °	-5 (But not frozen.)
	Liquid temperature	0 (But not frozen.)
	Working environment humidity	10 60%RH
	, , , , , , , , , , , , , , , , , , , ,	10 60%RH
	dust	0.1mg/m <sup>3</sup> (No conductive dust
	Corrosive gas	Not allow
	Outline size	655(L) x 560(W) x 475(H)

Others Weight	(Including cleaning fluid 2000cc)
---------------	--------------------------------------

#### Market

Our products had exported to more than 30 countries and regions, including South Korea, India, Vietnam, Tunisia, Egypt,Turkey, Russia, Brazil etc. And here are some of our big customers: SURYA, POLYCAB, FIEM, RK, GK, TECHNO LED, CALCOM, ACK, KENDAL, RangDong, UNISTAR, and so on.



#### **Our Exhibitions**


Eton has participated in many exhibitions of foreign countries, such as India Mumbai Exhibition, India Delhi Exhibition, Egypt Exhibition, Turkey Exhibition, Pakistan Exhibition, etc and trading with more than 20 countries. Furthermore, we have took part in our domestic large exhibition, like Guangzhou Guangya Exhibition, Shanghai Munich Exhibition, Chongqing LED light Exhibition, etc.



**Shipping and Delivery** 

As to the part of shipping and delivery, there are three ways for your reference, and different way is for different situations: **Land transportation:** suitable for inland countries and it is affordable; **Air freight:** for urgent good, and it is the most expensive transportation way;

Shipping: It's suitable for heavy goods, and the convenience and lower cost of shipping which is easy for clients to accept the arrival time of the goods.



We also have Chinese engineers which provide online services to operate the machine to solve the problems with the machine;

We will visit our clients for twice a year to operate the machine and view the status of the machine; Our clients enjoy a free up grade of the machine.

Q. Can you accept D/P or D/A as the payment term?

A. For our regular payment terms, we usually use T/T.

Q. How can I contact you to buy the goods in an efficient way?

O086 13670197725 (Whatsapp/Wechat)

A. Making enquiry of the products you want on the trading platform of Alibaba, Tradelink, foreign trade Express, or contact us with the social software as Whatsapp, Skype, etc.

Contact me: Whatsapp/Wechat: +8613632769526 Email: Noah@eton-mounter.com

Shenzhen Eton Automation Equipment Co., Ltd.

Iinda@eton-mounter.com

© smtmountingmachine.com

HENGFENG INDUSTRIAL AREA, ZHOUSHI ROAD NO. 739, HEZHOU COMMUNITY, HANGCHENG STREET, BAOAN, SHENZHEN, CHINA