

250000 CPH 68 Feeders SMT Mounter High Speed For Roll To Roll LED Strip

Basic Information

- Place of Origin:
- Brand Name: ETON
- Certification:
- Model Number:
- Minimum Order Quantity: 1 set
- Packaging Details: vacuum package,wooden case

CHINA

HT-T9

30 days

CCC CE SIRA

- Delivery Time:
- Payment Terms: T/T
- Supply Ability: 50 sets/month



Product Specification

- Warranty:
- Application:

Weight:Dimension:

Feeders:

• Condition:

• Highlight:

Power Supply: Mounting Speed:

- 1 Year
- 0.5M ,1M,5M,10M,50M,100M,500Mstrip Light 1700KG 3100*2300*1550mm
- 68PCS
- 100% Original
- 380AC 50HZ
- 250000CPH
 - Roll To Roll Strip SMT Mounter, Roll To Roll LED SMT Mounter, High Speed LED Strip SMT Mounter



Our Product Introduction

SMT High speed mounter LED strip roll to roll



Product description

1, The SMT high speed mounter HT-T9 is designed with 68 suction nozzles and 68 feeding stations. It is controlled by two arms, with 34 suction nozzles controlled by one arm each. Among them, 34 suction nozzles are divided into two groups, each with 17 nozzles, and each group is jointly controlled by a servo motor and a corner motor.

2, The four different materials of a product can be pasted simultaneously, which can accelerate product production without affecting high productivity.

3, The mounter HT-T9 is suitable for one-time mounting of soft light strips with a length of 5 meters, 20 meters, 50 meters, or even more.

4, During mounting, a single plate of material can be attached separately, and the same plate of material is always attached to the same light bar.

5, Calibration automatically, high precision, available for RGB.

Equipment Details

Linear magnetic levitation motor

The stator itself is a permanent magnet, and the interaction between the moving stator and the magnetic pole causes repeated movement of the mounting head.

Transportation platform

Transport the PCB board to the designated location, the platform has an adsorption function, which is conducive to adsorption of soft PCB boards.

Inlet and outlet plate inductor

Detect if there is a PCB on the track.

Parameter

Product name	SMT high speed mounter
Model	HT-T9
PCB size(mm)	Max:250*any length
Mounting precision	±0.05mm
Mounting height	≤5mm
Mounting speed	200000-250000CPH
Components	LED3010/3020/5050/3525 resistors, capacitor,
	etc.
Components space	0.5mm
No.of feeders station	68 PCS
No.of heads	68 PCS
Positioning way	Optical
Feeding way	Electric feeder with double motor
X,Y Axis drive way	High-end magnetic linear motor and servo motor

Package

We usually use vacuum wooden boxes to package our products. Vacuum can be very shockproof and ensure the integrity of the product. If you have special requirements for packaging, we can also achieve them for you.



Shenzhen Eton Automation Equipment Co., Ltd.	
	🔇 0086 13670197725 (Whatsapp/Wechat) 🕑 linda@eton-mounter.com 🙆 smtmountingmachine.com
	HENGFENG INDUSTRIAL AREA,ZHOUSHI ROAD NO. 739,HEZHOU COMMUNITY,HANGCHENG STREET,BAOAN,SHENZHEN,CHINA