

250K Capacity SMT Machine For Long Flexible Strip Light 380V AC 50HZ

Basic Information

Place of Origin: ChinaBrand Name: ETON

Certification: CE,CCC,SIRA

Model Number: HT-T9Minimum Order Quantity: 1 set

Packaging Details: Packing in film package and foam cotton,

and covering vacuum bag within sturdy

wooden boxes.

Delivery Time: 30 daysPayment Terms: T/T

Supply Ability: 50 sets per month



Product Specification

Product Name: Automatic SMT Pick And Place Machine

• Weight: 1700KG

• Mounting Speed: 200000-250000 CPH

• Warranty: 1 Year

Application: LED Any Length Of Flexible Strip

Power Supply: 380AC 50HZ
 Dimension: 2700*2300*1550mm

• Feeders: 68 Pcs

• Highlight: 250K Capacity SMT Machine,

Flexible Strip Light SMT Machine, Long Flexible Strip SMT Machine



Product Description

250K capacity for Long flexible strip light SMT machine Description

Producing with Producing 4 types materials at the same time with high capacity, available for 5M, 50M or any length of Flexible strip and Roll to roll.

Dual arm four modul, 17 nozzles for each mounting part, part A or part B can be mounted separately or synchronously. Calibration automatically, high precision, available for RGB.

Exclusive patent technology: Group to pick and group to mount.

IPC9850 Capacity: 200000~250000 CPH

Patent number: ZL 2011 2 0237740.9/ ZL 2011 2 0334606.0/ ZL 2012 20178869.1/ ZL 2012 2 0415505.0/ZL 2012

20415044.7/ZL 2012 2 0415356.8/ ZL 2012 2 0415061.0

Technical parameter

Model	HT-T9
Dimension	'
Length	3100mm
Width	2300mm
Height	1550mm
Total Weight	1700kg
PCB	
PCB Length Width	250mm*any length
PCB Thickness	0.5-1.5mm
PCB Clamping	Adjustable pressure pneumatic
Mounting Mode	Group to take and group to mount
O.S.	·
System	Windows7
Software	R&D independently
Display	Touch screen monitor
Input Device	Keyboard, Mouse
Vision System	
No. of Camera	5 PCS (Digital camera)
	Vision alignment, MARK correction
Mounting Precision	±0.02mm
Mounting Height	≦5mm
Mounting Speed	200000~250000 CPH
Components	LED 3014/ 3020/ 3528/ 5050 and capacitors, resistors,
	bridge rectifiers, etc.
Components Speed	0.5mm
No. of Feeders Station	68 PCS
No. of nozzles	68 PCS
Power	380AC 50 HZ
Power Consumption	6kw
Operating Environment	23 ±3
Conveyor transmission	Max Length :1000 mm
Electrical control	Independent research and development by ETON
Motion control card module 1 set	Independent research and development by ETON
X,Y,Z Axis Drive way	High-end magnetic linear motor+ servo motor
Feeding way	Electric feeder with double motor

Service

Professional solutions: Provide professional SMT Full line solutions

Free Warranty: One-year warranty factory service. All parts damaged within the warranty period shall be replaced free of

Free Installation: On-site free installation to ensure smooth production.

Free Technical Training: Professional training of operating and maintenance.

Free Technical Support: 7 * 24 technical online support.
Free Software Upgrade: Offer free software upgrade whole lifetime





- 2.Provide whole line production;2
- In the warranty period, any problem of the machine and the replacement of accessories is free to solve;

4. After the warranty period, every year we will arrange our engineers to check or online operating the machine 1-2 times freely.

Shipping and Delivery


Land transportation: suitable for inland countries and it is affordable;

Air freight: for urgent good, and it is the most expensive transportation way;

Shipping: It's suitable for heavy goods, and the convenience and lower cost of shipping which is easy for clients to accept the arrival time of the goods.



Related machine



Contact me:

Whatsapp/Wechat: +8613632769526 Email: Noah@eton-mounter.com



Shenzhen Eton Automation Equipment Co., Ltd.



O086 13670197725 (Whatsapp/Wechat)



linda@eton-mounter.com



e smtmountingmachine.com

HENGFENG INDUSTRIAL AREA, ZHOUSHI ROAD NO. 739, HEZHOU COMMUNITY, HANGCHENG STREET, BAOAN, SHENZHEN, CHINA