

Group Picking And Group Placing SMT Mounter For Any Length Roll To Roll **Flexible Strip**

Basic Information

- Place of Origin:
- Brand Name: ETON
- Certification:
- Model Number:
- Minimum Order Quantity: 1 Set
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:

HT-T9: Pick and place machine

Product Specification

- Dimension: PCB Size:
- 3100*2300*1550mm
- 250*any Length
- PCB Thickness:
- Mounting Mode:
- Mounting Speed:
- Mounting Precision:
- No.of Feeders Station:
- No.of Head:
- Highlight:

- 0.5~1.5mm
- Group Picking And Group Placing
- 200000~250000 CPH

China

HT-T9

packing

L/C, T/T

30 work dayes

50 Sets per month


CE,CCC,SIRA

USD 68,000.00/ 1Unit/Units

Filming packing, vacuum packing, wooden

- ±0.02mm (Repeat Precision)
- 68 PCS

- 68 PCS group placing SMT Mounter,
- Flexible Strip Roll SMT Mounter, SMT Mounter For Any Length Strip



More Images



Any Length Flexible Strip SMT Pick and Place Machine 250000CPH Roll To Roll

Production Introduction of Pick and Place Machine HT-T9

Dual-arm magnetic linear high-speed mounter for flexible strip(no wire), Producing 4 types materials at the same time capacity reach 250000 CPH.

Exclusive patent technology: Group to take and group to mount.

Calibration automatically, high precision, available for RGB.

Available for 5M, 50M or any length of flexible strip and Roll to Roll.

Dual arm four modules, 17 nozzles for each mounting part, part A or part B can be mounted separately or synchronously.

Keywords:

led tube light making machine led flexible strip light making machine led machine manufacturer

HT-T9 of Technical Parameter


Dimension	3100*2300*1550mm	
PCB Size	250*any length	
PCB Thickness	0.5~5mm	
Mounting mode	Group to take and group to mount	
Mounting precision	±0.02mm (Repeat precision)	
Mounting height	Standard:≤5mm	
Mounting speed	200000~250000 CPH	
Components	LED 3014/3020/3528/5050 and resistors,	
	capacitors, bridge rectifiers etc.	
Components space	0.5mm	
No.of feeders station	68 PCS	
No.of head	68 PCS	
Power	AC 380V 50Hz	
Power consumption	6 KW	
X,Y,Z Axis drive way	High-end magnetic linear motor and servo motor	

HT-T9 Picture



Application of HT-T9

Apply to 5M, 25M,50M or any length of flexible strip and Roll to Roll.



Introduction of exhibition

Exhibition









Our company go to many places to participate in the exhibition. Foreign exhibition: India Mumbai Exhibition, India Delhi Exhibition, Egypt Exhibition, Turkey Exhibition, Pakistan Exhibition, etc. Domestic exhibition:Guangzhou international lighting Exhibition, Shanghai electronica Exhibition, Chongqing LED Light Exhibition, etc.

Package and Delivery of Pick and Place Machine




Filming packing:Make the machine sanitary, clean, sealed packaging, dust and humidity; have good shock resistance, impact resistance, and good protection performance with tightness and fixity.

vacuum packing:Advantages of moisture proof,dust proof and so on.

wooden packing: It has good cushioning performance, corrosion resistance, high strength and hygroscopicity, moisture-proof and earthquakeresistant functions.

Our after-sales service of Pick and Place Machine



Q: How is the installation and training? A: After buying our machines,our engineer will visit to your factory installation and training for free.

Shenzhen Eton Automation Equipment Co., Ltd.

