

# LED Neon Roll To Roll Strip Mounting Machine Pick And Place Machine

# **Basic Information**

Place of Origin: CHINABrand Name: ETON

• Certification: CE, CCC, SIRA

Model Number: HT-T9 Minimum Order Quantity: 1 set

Packaging Details: vacuum adsorption, wooden packing
Delivery Time: 30 days after receive the down-payment

• Payment Terms: T/T

• Supply Ability: 50 sets per month



# **Product Specification**

Warranty: 1 YearApplicable Components: 0402

Name: SMT Pick And Place MachineCondition: 100% Original,Brand-new

Mounting Speed: 250000 CPH

Feeders: 68Nozzles: 68

Tape Width: 24mm,8mm,12mm

• Highlight: Roll To Roll Strip Mounting Machine,

LED Neon Strip Mounting Machine, 50M light Pick And Place Machine



# More Images



# **Product Description**

LED neon roll to roll strip mounting machine

Machine profile

- 1.The fixing method of PCB board is: vacuum adsorption, cylinder clamp, and adjustable track width.
- $2.\ \mbox{Adopt}$  the domestic top brand Hikvision camera and the drag chain of Germany igus.
- 3. The X and Y axes are linear motors, which makes the mounting accuracy higher, the service life longer and the speed faster.
- 4..50M soft light belt production machine, producing 4 different materials at the same time without affecting high production capacity.

Technical parameter

Model	нт-т9
Dimension	
Length	3100mm
Width	2300mm
Height	1550mm
Total Weight	1700kg
PCB	
PCB Length Width	250mm*any length
PCB Thickness	0.5-1.5mm
PCB Clamping	Vacuum adsorption, cylinder splint, adjustable track width
Mounting Mode	Group picking and separately placing
O.S.	
System	Windows7
Software	R&D independently
Display	Touch screen monitor
Input Device	Keyboard, Mouse
Vision System	
No. of Camera	5 PCS ( Digital camera)
	Vision alignment, MARK correction
Repeat mounting Precision	±0.02mm (Repeat precision)
Mounting Height	≤5mm
Mounting Speed	200000~250000CPH
Components	LED 3014/3020/3528/5050 and capacitors, resistors, bridge rectifiers, etc.
Components Space	0.5mm
No. of Feeders Station	68 PCS
No. of head	68 PCS
Power	380AC 50 HZ
Power Consumption	6kw
Operating Environment	23 ±3
Conveyor transmission	Max Length :1000 mm
Transmission speed	>500mm/sec
Transmission Direction	Single(left→ right or right→ left)
Transmission Mode	Online drive
Positioning Way	Optical
Gas consumption	0.4-0.6mpa (4-6kgf/cm2)150N/min
Electrical control	Independent research and development by ETON
Motion control card module 1 set	Independent research and development by ETON
X,Y,Z Axis Drive way	High-end magnetic linear motor+ servo motor
Feeding way	Electric feeder with double motor



### Other machine

We not only provide mounter, we also provide, loading machine, docking station, printing machine, reflow soldering, translational machine, AOI, SPI, etc.

## **FAQ**

## 1. What are the main application about the pick and place machine?

We have many different machine, and different machines apply to different applications. The main products include panel light, ceiling light, LED bulb, LED tube etc. For example, the professional mounter HT-f9 is available for flexible strip and LED tube.

#### 2. How about the operation software of the machine?

Our software are Independent R&D by ourselves with 2 language( English and Chinese).

#### 3. How about your after sales services?

We have ONE YEAR Maintenance period. When you are operating ,you can communicate with our engineer for help any questions.

### 4.what can you buy from us?

Solder paste stencil printer, conveyor, Pick and place machine, reflow oven and All equipment related to the smt production

#### 5. What's the terms of payment?

T/T is OK. You can choose FOB Shenzhen.

# **Contact David**

Whatsapp/Wechat/Tel: +86 13827425982

E-mail: david@eton-mounter.com



Shenzhen Eton Automation Equipment Co., Ltd.



0086 13670197725 (Whatsapp/Wechat)



linda@eton-mounter.com



smtmountingmachine.com