

Flexible Strip Automatic SMT Machine High Printing Efficiency

Basic Information

Place of Origin: ChinaBrand Name: ETON

Certification: CE,CCC,SIRA
Model Number: ET-AL1025
Minimum Order Quantity: 1 set

• Packaging Details: Packing in film package and foam cotton,

and covering vacuum bag within sturdy

wooden boxes.

• Delivery Time: 30 working days

Payment Terms: T/T

Supply Ability: 50 sets per month



Product Specification

• Application: LED Strip

• Power Supply: AC:220±10%,50/60HZ 1Φ 1.5KW

• Condition: New

Product Name: ET-AL1025Warranty: 1 YearWeight: 600KG

• Dimension: 1754(L)X1249(W)X1600(H)mm

Pcb Thickness: 0.5-5 MmPrinting Accuracy: 0.025mm

• Highlight: High Efficiency automatic smd machine,

Flexible Strip Automatic SMT Machine, Flexible Strip automatic smd machine



Product Description

SMT high printing efficiency flexible strip automatic SMT machine

Machine configuration


- Programmable suspension printing head;
- *Two sets of stepping motor drive, the pressure of front and rear scraper can be adjusted separately to ensure the inconsistency of front and rear printing caused by fatigue deformation of scraper material;
- *Effectively control the stroke, improve the printing efficiency, and prevent the leakage of solder paste;
- Standard stainless steel scraper, unique design, improve the service life of the blade;
- Downward vision alignment system;
- CNC guide rail adjustment;
- Industrial controlled computer, Windows XP interface operating system;
- Built-in software diagnostic system;
- SMEMA interface.

Technical parameter

Min Size 850mm		
Screen Frames		1
	Max Size	550mm
	Thickness	25~45mm
FPCB Min Size		50mm
FPCB Max Size		260mm
FPCB Thickness		0.5~5mm
FPCB Warpage		Max. FPCB diagonal 1
Transport Height		900±40mm
Transport Direction		Left-Right
Transport Speed		Max 1000mm/S Programmable (Adjustable)
Board	Support System	Platform jacking tension
Location	Clamping System	Edge clamp fixed
Print head		Two independent motorized print heads
Squeegee Speed		6~300mm/sec
Squeegee Pressure		0~10Kg/cm2
Squeegee Angle		55°(Standard)
Squeegee Type		Stainless steel(Standard), plastic
Stencil Separation Speed		0.1~20mm/sec Programmable
Cleaning System		Manual cleaning
Table Adjustment ranges		X:±5mm;Y:±5mm;θ:±2°
Machine		
Repeat Position Accuracy		±0.01mm
Printing Accuracy		±0.025mm
Cycle Time		≤9s (Exclude Printing & Cleaning)
Air Required		4.5~6Kg/cm2
Power Input		AC:220±10%,50/60HZ 1Ф 1.5KW
Control Method		PC Control
Machine Dimensions		1754(L)X1249(W)X1600(H)mm
Machine Weight		Approx:600Kg
FPCB transport over plate height		20mm

Certificates

As an experienced manufacturer in SMT machine, we obtained a number of intellectual property technologies, including 9 invention patents, 112 practical patents, 12 software copyrights, with our won R&D department for production and inspection. And also earned the oversea certificates as CE, CCC, SIRA, etc.



Service

Professional solutions: Provide professional SMT Full line solutions

Free Warranty: One-year warranty factory service. All parts damaged within the warranty period shall be replaced free of charge

Free Installation: On-site free installation to ensure smooth production.

Free Technical Training: Professional training of operating and maintenance.

Free Technical Support: 7 * 24 technical online support.


Free Software Upgrade: Offer free software upgrade whole lifetime



Related machine

We can provide a whole SMT production line, led light production line:

- 1. Pick and place machine
- 2. Loader machine
- 3. Conveyor machine
- 4. Stencil printer machine
- 5. Reflow oven machine
- 6. Unloader machine
- 7. Solder paste mixer
- 8. Roll to roll led strip light assembly machine



Contact me:

Whatsapp/Wechat: +8613632769526 Email: Noah@eton-mounter.com



Shenzhen Eton Automation Equipment Co., Ltd.



0086 13670197725 (Whatsapp/Wechat)



linda@eton-mounter.com



smtmountingmachine.com