

Roll To Roll SMT Placement Machine Ultra High Speed 500000 CPH Double Side Mounting

Basic Information

Place of Origin: ChinaBrand Name: ETON

• Certification: CE,CCC,SIRA,ISO

Model Number: T9-2SMinimum Order Quantity: 1 set

Packaging Details: Packing in film package and foam cotton,

and covering vacuum bag within sturdy

wooden boxes.

• Delivery Time: 30 working days

Payment Terms: T/T

Supply Ability: 50 sets per month



Product Specification

• Warranty: 1 Year

Name: SMT Automatic Pick And Place Machine

Application: LED Any Length Of Flexible Strip

• Power Supply: 380AC 50HZ 6kw

Condition: NewWeight: 3100 Kg

• Mounting Speed: Double Side: 500,000 CPH Single Side:

250,000 CPH (Optimum Speed)

• Dimension: (L)3454*(W)3035*(H)1777 Mm

Highlight: SMT Placement Machine 500000 CPH,

Roll To Roll smt placement equipment, LED strip smt placement equipment



More Images



Product Description

SMT ultra high speed 500,000 CPH roll to roll placement machine

Machine main features

Wide components range: High speed modular heads apply to LED 3014/3020/2835/5050 and resistors, capacitors, bridge rectifiers etc.

Unique design component leaking detection and individual component refill function. Recognition camera record the component leaking position of PCB, and fill the missing component accordingly.

Ultra high speed capacity: 500,000 CPH

Intelligent electric feeder, supporting high-speed machine series.

Adjust the conveying platform according to various roll to roll strip, range 250±10 mm, the max length range is 1M per cycle. The distance of feeder station can be flexibly adjusted to achieve group picking and group placing, so as to realize the function of two time picking and once placing.

The range of feeder station is double of placement four kinds of materials at the same time.

Automatic production with identification date, correction and fill missing component automatically.

Flight recognition camera, no pause to detect the presence or absence of components, component adsorption state, prevent placement errors.

The clamping rod is driven by the air cylinder to correct the materials taken by mounting head.

With the function of filling missing component automatically, realize industry 4.0 Unmanned Workshop.

Complaint with CE standards.

Machine main parameter


| Model | T9-2S |
|------------------|--|
| Dimension | (L)3454*(W)3035*(H)1777 mm |
| Total weight | 3100 kg |
| PCB size | 250(±10)mm* Any length |
| PCB thickness | 0.1-0.5 mm |
| PCB clamping | Vacuum adsorption, cylinder clamping, track width adjustable |
| Mounting way | Group picking and group placing |
| Mounting mode | Double rail + Four groups of placement heads |
| No. of camera | 10 sets (Digital camera) |
| Software | R&D independently |
| Repeat precision | ±0.05 mm |
| Maabina main na | |

Machine main part



Certificates

As an experienced manufacturer in SMT machine, we obtained a number of intellectual property technologies, including 9 invention patents, 112 practical patents, 12 software copyrights, with our won R&D department for production and inspection. And also earned the oversea certificates as CE, CCC, SIRA,



Our Exhibitions

Our company has participated in various exhibitions in foreign countries, including India Mumbai Exhibition, India Delhi Exhibition, Egypt Exhibition, Turkey Exhibition, Pakistan Exhibition, etc.



Shipping and Delivery

Land transportation: suitable for inland countries and it is affordable;

Air freight: for urgent good, and it is the most expensive transportation way;

Shipping: It's suitable for heavy goods, and the convenience and lower cost of shipping which is easy for clients to accept the arrival time of the goods.

Contact me:

Whatsapp/Wechat: +8613632769526 Email: Noah@eton-mounter.com



Shenzhen Eton Automation Equipment Co., Ltd.



0086 13670197725 (Whatsapp/Wechat)



linda@eton-mounter.com



smtmountingmachine.com

HENGFENG INDUSTRIAL AREA, ZHOUSHI ROAD NO. 739, HEZHOU COMMUNITY, HANGCHENG STREET, BAOAN, SHENZHEN, CHINA