

SMT 90000 CPH capacity pick and place machine For Mounting min 0402 component

Basic Information

- Place of Origin:
- Brand Name: ETON
- Certification:
- Model Number:
- Minimum Order Quantity: 1 set
- Packaging Details: Packing in film package and foam cotton, and covering vacuum bag within sturdy wooden boxes.

50 sets per month

CE,CCC,SIRA,ISO

HT-E8D-1200

China

- Delivery Time: 30 working days
 Payment Terms: T/T
- Supply Ability:



Product Specification

- Warranty:
- Heads:
- Approximate Weight:
- Positioning Accuracy:
- Condition:
- Input Voltage:
- Size:
- Input Device:
- Packing:
- Optimal Speed:
- Highlight:
- 24 PCS About 2500 KG 0.04mm 100% Original 220V, 50-60HZ 3100*2250*1650mm Keyboard,mouse Wooden Case

1 Year

- 90000cph
 - Mounting component pick and place machine, 0402 component pick place machine, 90000 CPH capacity pick place machine



Our Product Introduction

Mounting min 0402 component SMT 90000 CPH capacity pick and place machine

Product description

E8D-1200 multifunctional pick and place machine taking the mounting mode of group picking and separately placing, separately picking and separately placing, with 24 PCS of head capacity reaches 90000 CPH.

Features:

Dual system, dual module multifunctional mounter to produce two different products at the same time. Mounting components:LED chip, capacitors, resistors, lens, IC, shaped components, etc. Component: Min. Size 0402, Max. Height 15mm.

Application: Power driver, electric board, lens, DOB bulb, linear bulb, household appliance etc.

Exclusive Patented Technology:

Electronic feeder feeding system.

Vision alignment flight identification, Mark correction.

Non- stop material re-loading function.

Auto-optimization after coordinates generated, etc.

Machine parameter

Model	HT-E8D-1200
Dimension	3150mm*2250mm*1650mm
Total weight	2500kg
PCB length width	Max:1200*300mm Min:100*100mm
PCB thickness	0.5-5mm
PCB clamping	Adjustable pressure pneumatic
Mounting mode	Group picking and separately placing, Separately picking and separately placing
Mounting precision	±0.04mm
Mounting speed	90000CPH
No. of feeders station	48PCS single module
No. of head	24 PCS single module

Pick and place machine HT-E8DImage: Second se

Packages

Mark camera and rail

Keep a good quality of the machine when during transportation till the destination of our clients which is an imperative aspect for one of a suitable service for our clients to buy our machine, so making sure of a qualified and sturdy packing is a key mission for us, here are the specified steps for your reference:

Feeder's station



Steep 1: Film packing and foam cotton prevent the dust and water to preotect the machine;

Steep 2: Vacuum package and moisture proof bag, to keep dry of the machine during transportation;

Steep 3: Equip with sturdy wooden box and transported by trucks to the specific port.

Service

High service efficiency, there is service office in India. Besides India, we also have local engineers in Egypt, Turkey. Can provide you with timely services.

Chinese engineers provide online services. If necessary, Chinese engineers will come to your factory for free install and training.


Quality First, Client-oriented, Continuous Improvement.



Market

Our products had exported to more than 30 countries and regions, including South Korea, India, Vietnam, Tunisia, Egypt, Turkey, Russia, Brazil etc. And here are some of our big customers:

SURYA, POLYCAB, FIEM, RK, GK, TECHNO LED, CALCOM, ACK , KENDAL, RangDong, UNISTAR, and so on.



HENGFENG INDUSTRIAL AREA, ZHOUSHI ROAD NO. 739, HEZHOU COMMUNITY, HANGCHENG STREET, BAOAN, SHENZHEN, CHINA