

# high accuracy SMT Placement machine 80000 capacity for electronic board

# **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 set
- Packaging Details: Packing in film package and foam cotton, and covering vacuum bag within sturdy wooden boxes.
   Delivery Time: 30 working days

50 sets per month

CE,CCC,SIRA,ISO

China

ETON

YT-20

- Delivery Time: 30 workir
  Payment Terms: T/T
- Supply Ability:



# **Product Specification**

- Domestic Market Share: 85%
- Module: YT-20 500\*450 MM • Pcb: 80,000 CPH • Placement Speed: • Condition: New 1 Year • Warranty: Industrial Park Area: 52000 Square Meter SMT Production Line • Apply: Component Range: 0201 - 40mm X 40mm
  - Highlight:



80000 Capacity SMT Placement machine, high accuracy SMT Placement machine, Electronic Board SMT Placement machine

## Placement machine high accuracy 80000 capacity for electronic board

#### Description

Adopt High speed multi modular head, apply to ultra small chip 0201~40\*40mm large chip, wider component range; Brand new flight vision camera improve recognition performance, size up to 40\*40mm, apply to BGA or CSP etc; Vacuum sensing device: Each placement head with independent detection function, which improves the stability of the equipment and the reliability of the product;

Ultra high speed capability: Adopt high-end magnetic linear motor, servo system and multi function modular head, the capacity increased by 25% compared with traditional machine, optimum speed reach 80000 CPH;

Brand new self-developed high precision placement head;

Combine high accuracy Mark recognition camera with fixed flight vision camera, ensure placement accuracy;

Double side docking cart slot 32PCS, tape reel packages:64PCS(single side docking cart slot 16PCS, tape reel

packages:32PCS),freely switching between docking cart and IC tray feeder(IC tray feeder:Option)

Smart Double-Head tape feeder: Support YT series double head intelligent electric tape reel feeder, by optically correcting the feeding position of the component, it can achieve stable, accurate and high-speed feeding;

The placement head adopt independent vacuum detection, improve placement performance;

Off-line programming, save time of changeover cycle;

Software AI intelligent learning function and automatic optimization function.

Two gantry, 20 spindles\*2 Gantry, total 40 spindles;

Flexible PCB handling capabilities, double rail, both gantry can mount the same large PCB at the same time, realizing flexible production.

| Machine main parameter           |   |
|----------------------------------|---|
| Model                            | YT-20                                       |
| PCB size                         | Max size: 500*450 mm(Single side)           |
|                                  | 500*300(Double side)                        |
|                                  | Min size: 50*50 mm                          |
| PCB thickness                    | 0.5-4.5 mm                                  |
| PCB clamping                     | Cylinder clamping, track width              |
|                                  | adjustable                                  |
| Rail                             | 2 rail, 2 gantries(Rail 1,4 are fixed rail) |
| Software                         | R&D independently                           |
| Production management MES system | Customized (Option)                         |
| Off-line programming             | Available                                   |
| Camera                           | Bottom vision camera recognition/           |
|                                  | Flight identification camera                |
|                                  |   |
| Repeat precision                 | ±0.02 mm                                    |
| Mounting height                  | ≦15mm                                       |
| Position mode                    | Optical                                     |
| Optimal speed                    | 80000 CPH                                   |
| Component range                  | Min 0201~40*40 mm tape reel                 |
|                                  | packages and IC tray feeder etc.            |
| Position mode                    | Optical                                     |
| No.of heads                      | Double side docking cart slot               |
|                                  | 32PCS,tape reel                             |
|                                  | packages:64PCS(single                       |
|                                  | side docking cart slot 16PCS,tape reel      |
|                                  | packages:32PCS),freely switching            |
|                                  | between docking cart and IC tray            |
|                                  | feeder(IC tray feeder:Option)               |
|                                  |   |
|                                  |   |
| Feeding way                      | Intelligent double head feeder              |
| X,Y,Z Axis drive way             | High-end magnetic linear motor + Servo      |
|                                  | motor                                       |
|                                  |   |

### Machine main parameter

#### Market

Our products had exported to more than 30 countries and regions, including South Korea, India, Vietnam, Tunisia, Egypt, Turkey, Russia, Brazil etc. And here are some of our big customers:

SURYA, POLYCAB, FIEM, RK, GK, TECHNO LED, CALCOM, ACK , KENDAL, RangDong, UNISTAR, and so on.



## **Shipping and Delivery**

As to the part of shipping and delivery, there are three ways for your reference, and different way is for different situations: Land transportation: suitable for inland countries and it is affordable;

Air freight: for urgent good, and it is the most expensive transportation way;

Shipping: It's suitable for heavy goods, and the convenience and lower cost of shipping which is easy for clients to accept the arrival time of the goods.



#### Our advantage

ETON is the pioneer of SMT machine field in China which have more than 11 years experiences. And owned CCC, SIRA, CE certificates with 9 invention patents, 112 practical patents, 12 software copyrights of intellectual property technologies.

Oversea market: The products exported to more than 30 countries and regions, including South Korea, India, Vietnam, Tunisia, Egypt, Turkey, Russia, Brazil etc.



### FAQ

Q. How long is the machine maintenance period, whether it is free? A. The maintenance period of our machine is 1 year and its free for our clients, after the maintenance period we will arrange our engineers to check and test the machine one or two times a year freely.

Q. How can I look around your industrial park if I am on aboard?

A. If you have Chinese agent we can make an appointment to show you the environment, of course we also can make video call to show you the industrial park, or we will do some video to you if you need.

- Q. Can you accept CIF as the quoted price?
- A. We usually accept EXW as the quoted price.

#### Contact me: Whatsapp/Wechat: +8613632769526 Email: Noah@eton-mounter.com

Shenzhen Eton Automation Equipment Co., Ltd.
 0086 13670197725 (Whatsapp/Wechat) Inda@eton-mounter.com smtmountingmachine.com
 HENGFENG INDUSTRIAL AREA,ZHOUSHI ROAD NO. 739,HEZHOU COMMUNITY,HANGCHENG STREET,BAOAN,SHENZHEN,CHINA