

Pick And Place LED Chip 0603 3528 5050 High Speed SMT Machine

Basic Information

Place of Origin: ChinaBrand Name: ETON

• Certification: CE,CCC,SIRA,ISO

Model Number: HT-T9Minimum Order Quantity: 1 set

Packaging Details: Packing in film package and foam cotton,

and covering vacuum bag within sturdy

wooden boxes.

• Delivery Time: 30 working days

Payment Terms: T/T

• Supply Ability: 50 sets per month



Product Specification

• Placement Head: 6/8/12/16/24/32 Nozzles

Placement Accuracy: ±0.05mm
Pcb Thickness: 0.5-1.5mm
Head: 68pcs
Total Weight: 3100kg

• Components Range: LED 3014/3020/2835/5050

Condition: New Warranty: 1 Year

• Highlight: LED Chip 0603 SMT Machine,

Pick And Place SMT Machine, LED Chip 5050 SMT Machine



Product Description

Pick and place LED chip 0603, 3528, 5050 high speed SMT machine

Description

Features

Producing with Producing 4 types materials at the same time with high capacity, available for 5M, 50M or any length of Flexible strip and Roll to roll.

Dual arm four modul, 17 nozzles for each mounting part, part A or part B can be mounted separately or synchronously. Calibration automatically, high precision, available for RGB.

Exclusive patent technology: Group to pick and group to mount.

IPC9850 Capacity: 200000~250000 CPH

Patent number: ZL 2011 2 0237740.9/ ZL 2011 2 0334606.0/ ZL 2012 20178869.1/ ZL 2012 2 0415505.0/ZL 2012

20415044.7/ZL 2012 2 0415356.8/ ZL 2012 2 0415061.0

Technical parameter

reciffical parameter	
Model	HT-T9
Dimension	
Length	3100mm
Width	2300mm
Height	1550mm
Total Weight	1700kg
PCB	
PCB Length Width	250mm*any length
PCB Thickness	0.5-1.5mm
PCB Clamping	Adjustable pressure pneumatic
Mounting Mode	Group to take and group to mount
O.S.	
System	Windows7
Software	R&D independently
Display	Touch screen monitor
Input Device	Keyboard, Mouse
Vision System	
No. of Camera	5 PCS (Digital camera)
	Vision alignment, MARK correction
Mounting Precision	±0.02mm
Mounting Height	≦5mm
Mounting Speed	200000~250000 CPH
Components	LED 3014/3020/3528/5050 and capacitors, resistors, bridge rectifiers, etc.
Components Speed	0.5mm
No. of Feeders Station	68 PCS
No. of nozzles	68 PCS
Power	380AC 50 HZ
Power Consumption	6kw
Operating Environment	23 ±3
Conveyor transmission	Max Length :1000 mm
Electrical control	Independent research and development by ETON
Motion control card module 1 set	Independent research and development by ETON
X,Y,Z Axis Drive way	High-end magnetic linear motor+ servo motor
Feeding way	Electric feeder with double motor

Machine main part



Our Exhibitions

As an experienced company of trading SMT pick and place machine with more than 30 countries and regions aboard, Eton has participated in many exhibitions of foreign countries, such as India Mumbai Exhibition, India Delhi Exhibition, Egypt Exhibition, Turkey Exhibition, Pakistan Exhibition, etc. And also we have took part in our domestic exhibition, like Guangzhou Guangya Exhibition, Shanghai Munich Exhibition, Chongqing LED light Exhibition, etc.



Packages

Our package step is follow the blowing:

- STEP 1: Film packaging to prevent the dust and water;
- STEP 2: Packing in a foam cotton stretch a film to protect the outside of the machine;
- STEP 3: Vacuum paper package and moisture proof bag, to keep dry during the transportation;

STEP 4: Equip with sturdy wooden boxes to ensure the safety of the machine, then transportation by trucks to the specified port.

Delivery: by sea, air, land transport.



Steep 1: Film packing and foam cotton prevent the dust and water to preotect the machine;

Steep 2: Vacuum package and moisture proof bag, to keep dry of the machine during transportation;

Steep 3: Equip with sturdy wooden box and transported by trucks to the specific port.

Contact me:

Whatsapp/Wechat: +8613632769526 Email: Noah@eton-mounter.com



Shenzhen Eton Automation Equipment Co., Ltd.



0086 13670197725 (Whatsapp/Wechat)



linda@eton-mounter.com



smtmountingmachine.com

HENGFENG INDUSTRIAL AREA, ZHOUSHI ROAD NO. 739, HEZHOU COMMUNITY, HANGCHENG STREET, BAOAN, SHENZHEN, CHINA