

250K Speed SMT Pick and Place Machine Electronic Feeder for Pcb Max Size 1200*330mm

Basic Information

Place of Origin: ChinaBrand Name: ETON

• Certification: CE,CCC,SIRA,ISO

Model Number: HT-F9Minimum Order Quantity: 1 set

Packaging Details: Packing in film package and foam cotton,

and covering vacuum bag within sturdy

wooden boxes.

• Delivery Time: 30 working days

Payment Terms: T/T

Supply Ability: 50 sets per month



Product Specification

• Input Device: Keyboard,mouse


Install: FreeSystem: Windows7Speed: 250000 CphFeeder: 68PCS

• Feeding Way: Electronic Feeder

Model: HT-F9Pcb Max Size: 1200*330mm

• Highlight: 1200*330mm SMT Pick and Place Machine,

250K Speed SMT Pick and Place Machine, Electronic Feeder SMT Pick and Place Machine



More Images



Pick SKD components on PCB 250K speed SMT pick and place machine

Production description

Apply to the 0.6m, 0.9m, 1.2m rigid PCB and 0.5m, 1m LED flexible strip, producing with 4 types materials at the same time with 250000 CPH capacity, available for board with any proportion of LED chip and resistor.

Owing an exclusive technology of group picking and group placing, PCB size is 1200*330 can mount LED 3014/3020/3528/5050 or resistor, capacitor and bridge rectifiers, etc.

Features

Apply to the 0.6m, 0.9m, 1.2m rigid PCB and 0.5m, 1m LED flexible strip, producing with 4 types materials at the same time with high capacity, available for board with any proportion of LED chip and resistor.

Dual arm four module, 17 nozzles for each mounting part, part A/B/C/D can be mounted separately or synchronously. Calibration automatically, high precision, available for RGB.

Exclusive patent technology: Group to take and group to mount.

IPC9850 capacity: 200000-250000 CPH

Machine parameter

Model	HT-F9
PCB length width	Max: 1200*330mm Min: 100*100mm
PCB thickness	0.5-5mm
PCB clamping	Adjustable pressure pneumatic
Mounting mode	Group picking and group placing
Mounting precision	±0.02mm
Mounting speed	200000-250000 CPH
No. of feeders station	68 PCS
No. of head	68PCS



Packages

Step 1: Wrap with stretch film to prevent the equipment from.

Step 2: Vacuum paper packaging and moisture-proof bag, so that the machine can be kept dry during transportation to prevent moisture.

Step 3: Use straps and triangular wood to fix the machine to prevent damage to the machine during transportation.

Step 4: Each exported machine will be equipped with sturdy export wooden boxes, to ensure that the delivered product is good.



Steep 1: Film packing and foam cotton prevent the dust and water to preotect the machine;

Steep 2: Vacuum package and moisture proof bag, to keep dry of the machine during transportation;

Steep 3: Equip with sturdy wooden box and transported by trucks to the specific port.

Our advantage

ETON is the pioneer of SMT machine field in China which have more than 11 years experiences. And owned CCC, SIRA, CE certificates with 9 invention patents, 112 practical patents, 12 software copyrights of intellectual property technologies. Oversea market:The products exported to more than 30 countries and regions, including South Korea, India, Vietnam, Tunisia, Egypt,Turkey, Russia, Brazil etc.



Market

As for the 11 years trade with more than 30 countries with our SMT high speed pick and place machine, we have come into business with many partners:



FAQ

Q. If I need a perfect line of the machine can you supply?

A. Yes, for the requirements of a whole line for production, we have professional equipment to make up for a perfect production line for your products, on account of we have a 50000 square meters of industrial park and excellent R&D staff, which can produce 50 sets of machine per month.

Q. How was your services?

A. We ensure our clients to enjoy an optimal experience of the service of communication and relevant needs of the machine for installation, maintenance and free up- grade.

Contact me:

Whatsapp/Wechat: +8613632769526 Email: Noah@eton-mounter.com





linda@eton-mounter.com

