

Independent Research And Development 20 PCS Heads SMT Placement Machine

Basic Information

Place of Origin: ChinaBrand Name: ETON

• Certification: CE,CCC,SIRA,ISO

Model Number: YT20SMinimum Order Quantity: 1 set

Packaging Details: Packing in film package and foam cotton,

and covering vacuum bag within sturdy

wooden boxes.

• Delivery Time: 30 working days

Payment Terms: T/T

Supply Ability: 50 sets per month



Product Specification

• Optimum Mounting Speed: 98000CPH

• Industrial Park Area: 52000 Square Meter

Type: AutomaticTotal Weight: 2380kgFeeders Stations: 104PCS

• Mounting Precision: CHIP±0.03mm QFP±0.025mm Cpk ≥1.0

(3σ)


Components Space: 0.2mmPower: 220AC 50HZ

Highlight: 20 PCS heads SMT Machine,

20 PCS heads SMT placement machine



More Images





Product Description

Independent research and development 20 PCS heads SMT placement machine

Description

Machine main features

Integrated Placement Head

Lightweight, head is integrally formed, the 10 sets of Z axes are independently controlled by modular magnetic linear motor, which greatly improves the speed, accuracy and stability

Precision Corner System

The modular corner system independently controls the angle of each component to ensure high-precision placement. 10 suction nozzles per head, with a center distance of 16mm.

Vacuum Sensing Device

Each placement head with independent detection function, which improves the stability of the equipment and the reliability of the product.

Ultra-high-speed Capability

Adopting high-end magnetic linear motors and a multi-function Modular head, the placement capability has increased by 25% compared to traditional machines, with an optimum speed reaching 98000CPH

Machine main parameter

Machine main parameter	
Model	YT20S
Dimension	
Length	1480mm
Width	2680mm
Height	1650mm
Total Weight	2380kg
PCB	
PCB Length Width	Max:500*300mm(1200*450 option) Min:50*50mm
PCB Thickness	0.5-5mm
PCB Clamping	Cylinder clamping, track width adjustable
- ' "	Group picking and separate placingseparate picking and
Mounting Mode	separate placing
O.S.	
System	Windows7
Software	R&D independently
Display	LED monitor
Input Device	Keyboard, Mouse
Vision System	
No. of Camera	1 PCS (Head flight vision camera)
	2 PCS Mark camera
Mounting Precision	CHIP±0.03mm QFP±0.025mm Cpk ≥1.0 (3σ)
Mounting Height	≦16mm (Other height can be customized)
Mounting Speed	98000 CPH(Under best condition)
Components	0201~12MM packaging material and IC material(Optional
	fixed camera for 0201~35*35MM),Other component size can
	be customized
Components Space	0.2mm
No. of Feeders Station	104 PCS
No. of nozzles	20 PCS
Power	220AC 50HZ
Power Consumption	1.5kw
Operating Environment	23°C±3°C
Transmission Speed	>1000mm/sec
Transmission Direction	Single(left→ right or right→ left)
Transmission Mode	Online drive
Position Mode	Optical
Gas consumption	0.4-0.6mpa (4-6kgf/cm2)600N/min
Electrical control	Independent research and development by ETON
Motion control card module 1 set	Independent research and development by ETON
X,Y,Z Axis Drive way	High-end magnetic linear motor
Feeding way	Intelligent feeder with double motor
Production management	
MES system interface	Customized

Machine application



Our Exhibitions

As an experienced company of trading SMT pick and place machine with more than 30 countries and regions aboard, Eton has participated in many exhibitions of foreign countries, such as India Mumbai Exhibition, India Delhi Exhibition, Egypt Exhibition, Turkey Exhibition, Pakistan Exhibition, etc. And also we have took part in our domestic exhibition, like Guangzhou Guangya Exhibition, Shanghai Munich Exhibition, Chongqing LED light Exhibition, etc.



Related machine

ETON is a leading SMT high speed pick and place machine manufacturer in China, and we also provide whole line solution with peripheral devices as stencil printer, conveyor, glue dispenser, transitional and reflow oven etc.



Packages

As for the package of the machine, we put it in film packing and foam cotton, to prevent the dust and water of protecting the machine and keep dry of the machine during transportation, and equip with wooden boxes to transport to the specified port.



Contact me:

Whatsapp/Wechat: +8613632769526 Email: Noah@eton-mounter.com



O 0086 13670197725 (Whatsapp/Wechat)

linda@eton-mounter.com

e smtmountingmachine.com

HENGFENG INDUSTRIAL AREA, ZHOUSHI ROAD NO. 739, HEZHOU COMMUNITY, HANGCHENG STREET, BAOAN, SHENZHEN, CHINA